



CELERIO



From its Front Grille Design to elegant Back Door Garnish, the Celerio keeps it light and fresh from every angle.

Trendy Alloy Wheels

TECHNOLOGY

CELERIO

MEDIA

AGS Technology, an Integrated Bluetooth Entertainment System and Steering-mounted Audio Controls in the Celerio make driving it just as easy as loving it.

CELERIO

N

n

Stylish Front Grille & Bumper Design

AUTO

GEAR SHIFT







The interiors of the Celerio are designed to be as comfortable as they are stylish. Space, style, comfort and convenience, the Celerio has it all.





PERFORMANCE

PETROL

21.63* km/l

The 1L K-series Engine with Drive-by-Wire technology is as exciting as it is fuel efficient. Get ready to wear a smile every time you're behind the whee!



*As certified by Test Agency under Rule 115 of CMVR, 1989.

to the ? Local and ! We have should be the

1L K-series Engine

SAFETY

The Celerio comes with Dual Airbags, Anti-lock Braking System (ABS), Front Seat Belt Pre-tensioners and Force Limiters, as well as being Pedestrian, Offset and Side Impact Safety Compliant.



EQUIPMENT LIST

SPECIFICATION SHEET

			N	IT			MT	CNG		AN	/T	
Variants	LXi MT	LXi MT(0)	VXi MT	VXi MT(0)	ZXi MT	ZXi MT (Opt)	Green VXi	Green VXi (0)	VXi AMT	VXi AMT(0)	ZXi AMT	ZXi AMT (0
Exteriors												
ORVM with Turn Indicators	Х	Х	X	Х	~	~	Х	Х	Х	X	\checkmark	~
Front Fog Lamps	X	X	X	X	Х	1	X	X	X	X	Х	Х
Body Colored Bumper	√	√ 	√ 	√ 	√ 	~	✓		√ 		√	√
Body Colored ORVMs	Х	X	~	~	~	~	~	~	~	~	~	~
Body Colored Outside Door Handles	Х	Х	~	~	~	~	~	~	√	✓	~	~
Body Colored Back Door Garnish	~	~	~	~	~	~	~	~	√	✓	~	~
Grille	Material	Material	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome
Full Wheel Covers	X (Center cap)	X (Center cap)	~	~	~	Х	~	~	√	✓	~	~
Alloy Wheels	X	X	Х	Х	Х	~	Х	Х	Х	Х	Х	Х
Interiors												
Co-Dr Vanity Mirror in Sun Visor	Х	Х	√	√	√	~	~	√	√	√	~	~
Door Trim Fabric - Front Door	X	X	X	X	v √	v V	X	X	X	X	 ✓	 ✓
Day Night IRVM	X	X	~	×	· ·	· ·	×	×	×	×	 ✓	 ✓
Drink Holder	5	5	5	5	5	5	5	5	5	5	5	5
Driver Seat Height Adjuster	X	X	X	X	X	~	X	X	X	X	X	X
Front Seat Back Pockets (Passenger Side)	X	X	X	X	√	~	X	X	X	X	√	√
Rear Seat (60:40 split)	X	X	✓	√	~	~	~	~	√ 	~	~	~
Rear Headrest	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Comfort and Convenience												
Air Conditioner (Manual)	\checkmark	~	✓	 ✓ 	✓	~	✓	✓	✓	✓	✓	\checkmark
Audio with Radio, CD, USB, AUX-in & Bluetooth	Х	X	X	Х	~	~	Х	Х	Х	Х	~	~
No. of Speakers	Х	X	X	X	4	4	X	X	X	X	4	4
Keyless Entry (5 Doors)	X	X	X	X			X	X	X	X		
Security System	X	X	X	X	X	· ~	X	X	X	X	X	X
Central Door Lock (5 Doors)	X	X	X	×	~	· ·	X	×	×	X	×	×
Electric Windows (Power Windows)	X	X	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr
Power Windows - Auto Down (Driver Side)	X	X	11/11	- TIJIN	11/1A	11/101 ✓	11/14		11/M		11/m	11/10 V
Outside Mirrors Type	Pivot	Pivot	Inside Manual	Inside Manual	Electrically Adjustable	Electrically Adjustable	Inside Manual	Inside Manual	Inside Manual		Electrically Adjustable	Electrically Adjustable
Audio Controls In Steering Wheel	Х	Х	Х	Х	√ v	√ viajuotable	X	X	Х	Х	√ v	√ viajuotubie
Power Steering	~	~	~	√	√	✓	~	√	✓	✓	~	~
Central Console & Instrument Panel												
Illumination Colour	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber
Tachometer	X	X	X	X	V	Villbei	X	X	Villoci	VIIIbei	Vullbei	V
Urethane Steering Wheel	~	~	~	√	√	~	~	√	√	✓	√	~
Tilt Steering	Х	Х	Х	Х	√	~	Х	Х	Х	Х	~	~
Accessory Socket	~	~	~	✓	✓	~	~	✓	✓	✓	~	~
Dial-Type Climate Control	Black	Black	Silver Painted	Silver Painted	Silver Painted	Silver Painted	Silver Painted	Silver Painted	Silver Painted	Silver Painted	Silver Painted	Silver Painte
Gear Position Indicator	Х	Х	X	Х	Х	Х	Х	Х	✓	✓	\checkmark	\checkmark
Safety and Security												
Driver Airbag	~	 ✓ 	✓	✓	✓	~	 ✓ 	√	√	✓	~	~
Passenger Airbags	Х	~	Х	√	Х	✓	Х	√	Х	✓	Х	~
Seat Belt Reminder (Driver + Passenger)	\checkmark	~	\checkmark	\checkmark	~	\checkmark	~	~	✓	~	\checkmark	~
Pedestrian Protection	~	~	\checkmark	~	✓	~	~	~	✓	~	\checkmark	√
ABS	~	~	✓	√	√	✓	✓	√	✓	✓	√	~
Front Seat Belts Pre-tensioner and Force Limiter	Х	~	Х	~	Х	~	Х	~	Х	✓	Х	~
Headlight Leveling	~	~	~	~	 ✓ 	~	~	~	~	~	\checkmark	~
Rear Window Wiper & Washer	Х	X	X	X	✓	 ✓ 	X	X	X	X	~	✓
Front Ventilated Disc	✓	✓	×	✓	✓	 ✓ 	✓	✓	×	✓	 ✓ 	✓
Immobilizer	√ ,	√ 	✓	✓	√	 ✓ 	✓	✓	✓	✓	V	 ✓
Child Proof Rear Door Locks	√ √	√ 	√ 	√ 	✓	✓	✓ ✓	√ 	√ √	√ √	✓ ✓	✓ ✓
Rear Window Demister	X	X	X	X	✓ ✓	√ 	X	X	X	X	√	✓ ✓
Outside Air Temperature Display	X	X	X	X	X	X	X	X			-	
Speed Alert System# Reverse Parking Assist Sensors	√ √	√ √	√ √	✓ ✓	\checkmark	√ √	✓ ✓	√ √	√ √	√ √	\checkmark	√ √
Fr-Front, Rr-Rear, Dr-Driver, MT-Manual Transmis	sion, AMT - Aut	omatic Manual 1	ransmission, O-	Optional, Opt-Op	tional for ZXi M	T Only						

SPECIFICATION SHEET		PETROL	CNG			
Dimensions (in mm)						
Overall Length		3695	3695			
Overall Width		1600	1600			
Overall Height		1560	1560			
Wheelbase		2425	2425			
	Front	1420	1420			
Tread	Rear	1410	1410			
Engine	1					
Туре		K10B	K10B			
Capacity		998 cc	998 cc			
Engine Type		Aluminium	Aluminium			
Number of Cylinders		3	3			
Number of Valves in Each Cylinder		4	4			
· · ·			Petrol Mode: 50@6000			
Maximum Output (kW/rpm)		50@6000	CNG Mode: 43.5@6000			
			Petrol Mode: 90@3500			
Maximum Torque (Nm/rpm)		90@3500	CNG Mode: 78@3500			
Emission Standard Type		BS6+0BD I	BS6+OBD I			
Accelerator Pedal Type		Electric type	Electric type			
Transmission						
Туре		5MT/ Auto Gear Shift	5MT			
Suspension System						
Front		Mac Pherson Strut with Coil Spring	Mac Pherson Strut with Coil Sprin			
FIOIL						
			Coupled Torsion Beam Axle with			
Rear		Coupled Torsion Beam Axle with Coil Spring	Coupled Torsion Beam Axle with Coil Spring			
		Coupled Torsion Beam Axle with				
Rear Weight (kg)		Coupled Torsion Beam Axle with				
Rear Weight (kg)		Coupled Torsion Beam Axle with Coil Spring	Coil Spring			
Rear <mark>Weight (kg)</mark> Kerb Weight (min./with Full Options)		Coupled Torsion Beam Axle with Coil Spring 815/850	Coil Spring 920 (VXI), 925 (VXI (0))			
Rear <mark>Weight (kg)</mark> Kerb Weight (min./with Full Options) Gross Vehicle Weight	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850	Coil Spring 920 (VXI), 925 (VXI (0))			
Rear Weight (kg) Kerb Weight (min./with Full Options) Gross Vehicle Weight Capacity	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850 1250	Coil Spring 920 (VXI), 925 (VXI (O)) 1350			
Rear Weight (kg) Kerb Weight (min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity (L)	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850 1250 5 235	Coil Spring 920 (VXI), 925 (VXI (O)) 1350 5			
Rear Weight (kg) Kerb Weight (min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850 1250 5	Coil Spring 920 (VXI), 925 (VXI (O)) 1350 5 -			
Rear Weight (kg) Kerb Weight (min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity (L)	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850 1250 5 235	Coil Spring 920 (VXI), 925 (VXI (O)) 1350 5 - 35 (Petrol)			
Rear Weight (kg) Kerb Weight (min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity (L) Fuel Tank Capacity (L)	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850 1250 5 235	Coil Spring 920 (VXI), 925 (VXI (O)) 1350 5 - 35 (Petrol)			
Rear Weight (kg) Kerb Weight (min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850 1250 5 235 35	Coil Spring 920 (VXI), 925 (VXI (O)) 1350 5 - 35 (Petrol) 60 (CNG)			
Rear Weight (kg) Kerb Weight (min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering Type Tyres	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850 1250 5 235 35	Coil Spring 920 (VXI), 925 (VXI (O)) 1350 5 - 35 (Petrol) 60 (CNG) Electronic Power Steering			
Rear Weight (kg) Kerb Weight (min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering Type	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850 1250 5 235 35 Electronic Power Steering	Coil Spring 920 (VXI), 925 (VXI (O)) 1350 5 - 35 (Petrol) 60 (CNG)			
Rear Weight (kg) Kerb Weight (min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering Type Tyres	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850 1250 5 235 35 Electronic Power Steering LXI-155/80R13	Coil Spring 920 (VXI), 925 (VXI (O)) 1350 5 - 35 (Petrol) 60 (CNG) Electronic Power Steering			
Rear Weight (kg) Kerb Weight (min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering Type Tyres Tyres	Persons	Coupled Torsion Beam Axle with Coil Spring 815/850 1250 5 235 35 Electronic Power Steering LXI-155/80R13	Coil Spring 920 (VXI), 925 (VXI (O)) 1350 5 - 35 (Petrol) 60 (CNG) Electronic Power Steering			



Maruti Suzuki India Limited reserves the right to change without notice - price, colours, equipment specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment. For variant specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images are used for illustration purposes. 2020 Sales Points, 3200 Service Centres, 1652 cities covered by service network & over 34293 trained sales personnel as on 1st April, 2017. The speed alert system gives audible warning for alert of over-speed to driver. When Vehicle speed exceeds 80km/h, primary level warning will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning will top. This buzzer does not indicate any malfunction in vehicle. "Spare wheel material is steel and spare tyre size is LN-155/20R14."



Maruti Suzuki India Limited

Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi-110070, INDIA